

Get more information:

Canberra Alliance for Harm
Minimisation and Advocacy
(CAHMA)
GPO Box 1552
CANBERRA ACT 2601
(02) 6279 1670
www.cahma.org.au

Northern Territory AIDS and
Hepatitis Council (NTAHC)
GPO Box 2826
DARWIN NT 0801
(08) 8944 7777
www.ntahc.org.au

Queensland Injectors Voice for
Advocacy and Action (QuIVAA)
PO Box 2470
FORTITUDE VALLEY BC QLD 4006
07 3620 8160
www.quivaa.org.au

Harm Reduction Victoria
PO Box 12720, A'Beckett Street
MELBOURNE VIC 8006
(03) 9329 1500
www.hrvic.org.au

Hepatitis SA
PO Box 782
KENT TOWN SA 5071
(08) 8362 8443
www.hepatitissa.asn.au

NSW Users and AIDS
Association (NUAA)
PO Box 350
STRAWBERRY HILLS NSW 2012
(02) 8354 7300
www.nuaa.org.au

QuIHN
PO Box 2470
FORTITUDE VALLEY BC QLD 4006
(07) 3620 8111
www.quihn.org


Tasmanian Users Health &
Support League (TUHSL)
C/- PO Box 4702
Bathurst Street Post Office
HOBART TAS 7000
tuhsltaste@gmail.com

Peer Based Harm Reduction WA
PO Box 8003
PERTH WA 6849
(08) 9325 8387
www.harmreductionwa.org



www.aivl.org.au

Injecting involves blood.




Blood carries viruses.

Don't get infected.



1 Everyone needs to wash their hands with soap and warm water, or wipe their fingers with Alco Wipes before the shot is mixed.



2 Cover the space where you will prepare your shot with a piece of paper.



3 If there is blood on your tourniquet don't use it - find a clean one instead.
If there is blood on your shirt, take it off.



6 When you are finished, safely dispose of the needle and any bloody clothes.



5 If you are helping friends then wash your hands between each injection.



4 Always wash off any blood on your fingers before you inject. Use soap and warm water.

